

ANTELOPE CANYON

**FLORIM
USA**



ANTELOPE CANYON



Granite Basin



Natural Bridge



1092587 - 18"x18"



1092428 - 12"x12"



1092583 - 18"x18"



1092582 - 12"x12"



1091468 - 2"x2" mosaic



1091464 - 2"x2" mosaic

TRIMS



1091469 - 3"x12"
bullnose



1094225 - 6"x12"
Cove Base



1094229 1"x6"
Inside
Corner



1094233 1"x6"
Outside
Corner

TRIMS



1091465 - 3"x12"
bullnose



1094227 - 6"x12"
Cove Base



1094231 1"x6"
Inside
Corner



1094235 1"x6"
Outside
Corner

GLAZED PORCELAIN

18"x18" - 12"x12" - 2"x2" mosaic - 3"x12" bullnose - trims - cove base



Mesa



Red Cave



1092581 - 18"x18"



1092580 - 12"x12"



1092585 - 18"x18"



1092584 - 12"x12"



1091462 - 2"x2" mosaic



1091466 - 2"x2" mosaic

TRIMS



1091463 - 3"x12"
bullnose



1094226 - 6"x12"
Cove Base



1094230 1"x6"
Inside
Corner



1094234 1"x6"
Outside
Corner

TRIMS



1091467 - 3"x12"
bullnose



1094228 - 6"x12"
Cove Base



1094232 1"x6"
Inside
Corner



1094236 1"x6"
Outside
Corner

COLOR SPECIFICATIONS AND SIZES AVAILABLE

NOMINAL SIZE	GRANITE BASIN	NATURAL BRIDGE	RED CAVE	MESA
18"x18"	1092587	1092583	1092585	1092581
12"x12"	1092428	1092582	1092584	1092580
12"x12" Mosaic	1091468	1091464	1091466	1091462
6"x12" Cove Base	1094225	1094227	1094228	1094226
1"x6" Inside Corner	1094229	1094231	1094232	1094230
1"x6" Outside Corner	1094233	1094235	1094236	1094234
3"x12" Bullnose	1091469	1091465	1091467	1091463

PACKAGING

Nominal Size	Inches	Metric (cm)	Thickness (cm)	Pieces per Box	Square feet per Box	Weight per Box	Boxes per Pallet
18"x18"	17 3/4"x17 3/4"	45x45	10 mm	6	13.5	56 lbs.	32
12"x12"	11 3/4"x11 3/4"	30x30	10 mm	13	13	47.5 lbs.	48
12"x12" Mosaic	11 3/4"x11 3/4"	30x30	10 mm	10	10	41 lbs.	45
6"x12" Cove Base	NA	NA	NA	20	NA	NA	NA
1"x6" Inside Corner	NA	NA	NA	4	NA	NA	NA
1"x6" Outside Corner	NA	NA	NA	4	NA	NA	NA
3"x12" Bullnose	3"x11 3/4"	7.5x30	10 mm	12	-	13 lbs.	168

ALL OTHER SIZES WILL BE PACKAGED AS ORDERED.
PLEASE CONTACT FLORIM CUSTOMER SERVICE AT 877-FLORIM1 FOR PACKAGING INFORMATION.

TECHNICAL SPECIFICATIONS

Surface Abrasion	PEI	IV	ASTM C1027
Water Absorption		< 0.5%	ASTM C373
Chemical Resistance		CLASS A	ASTM 650
Coefficient of Friction	(Dry)	≥ 0.65 ◆	ASTM C1028
	(Wet)	≥ 0.60 ◆	ASTM C1028
Stain Resistance		CLASS A	ASTM C1378
Breaking Strength		≥ 400	ASTM C648
Resistance to freeze		RESISTANT	ASTM C1026
Scratch Hardness		≥ 6	MOHS

ALL FLORIM USA PRODUCTS MEET OR EXCEED ALL STANDARDS IN ANSI A137.1.

◆ DUE TO THE INHERENT NATURE OF FIRED PORCELAIN TILE, IT IS IMPORTANT TO NOTE THAT THE COEFFICIENT OF FRICTION MAY VARY WITHIN AND BETWEEN PRODUCT RUNS.

WHY PORCELAIN?

There are many reasons to choose impervious porcelain tile over other floor coverings. It offers the largest array of design options and holds its value the longest. In a comparison between the many different flooring options, porcelain tile offers one of the most durable and least expensive options over the lifespan of the building.

Benefits of Porcelain Tile

- Impervious to water
- Easy to maintain
- Variety of design options
- Environmentally friendly
- Resistant to germs and bacteria
- Fade resistant
- Fire resistant
- Durable - best long-term value vs. other floor coverings

HOW TO MAINTAIN YOUR PORCELAIN TILE

- Sweep or vacuum regularly.
- Wash with a household cleaner and hot water then rinse with clean water (do not use wax, oil-based, or abrasive cleaners).

Find more care, maintenance, and installation tips at www.florimusa.com

Colors Shown in this brochure may vary from actual product. Final selection should be made from actual product samples.



PROGRESS THAT TOUCHES AND INVESTS IN THE ENTIRE SOCIETY

As a active member of the U.S Green Building Council, Florim spreads awareness to the entire American communities and encourages towards the use of building solutions inspired by environmentally friendly practices. Using Florim products for project implementation, will positively contribute in obtaining scores and points required for earning the LEED certification (Leadership in Energy and Environmental Design).

A COMMITMENT TO THE DEVELOPMENT OF PRODUCTS FOR A CONSCIOUS BUILDING TRADE

Florim offers products containing recycled material. The adoption of eco-compatible production systems is merit of Italian designs produced in the U.S.

TECHNICAL DEVELOPMENT THAT CONSIDERS THE NATURAL ENVIRONMENT

Florim commits to the eco-compatible project and translates the same into an avant-guard production process, minimizing the negative impact on the environment.



LEED

 Environment
PRIORITY ONE


PROGRESS THAT TOUCHES AND INVESTS IN THE ENTIRE SOCIETY

As a active member of the U.S Green Building Council, Florim spreads awareness to the entire American communities and encourages towards the use of building solutions inspired by environmentally friendly practices. Using Florim products for project implementation, will positively contribute in obtaining scores and points required for earning the LEED certification (Leadership in Energy and Environmental Design).

A COMMITMENT TO THE DEVELOPMENT OF PRODUCTS FOR A CONSCIOUS BUILDING TRADE

Florim offers products containing recycled material. The adoption of eco-compatible production systems is merit of Italian designs produced in the U.S.

TECHNICAL DEVELOPMENT THAT CONSIDERS THE NATURAL ENVIRONMENT

Florim commits to the eco-compatible project and translates the same into an avant-guard production process, minimizing the negative impact on the environment.



300 International Blvd. Clarksville TN, 37040
 free call 877 - Florim1 (356-7461)
 tel. 931 645 5100
www.florimusa.com

**FLORIM
USA**