

NATURAL SELECTION





V2 SLIGHT VARIATION



Origin (Light)



1093564 - 18"x18"



1094158 - 12"x24" ◆



1093570
6"x6"



1094281
3"x6"



1093561 - 12"x12"



1093573 - 2"x2"
Mosaic (12"x12")

TRIMS



1093567 - 3"x12"
Bullnose



1094167
1"x6" Outside
Corner



1094164
1"x6" Inside
Corner



1094161
6"x12"
Cove Base

COLOR BODY PORCELAIN
 COLLECTION MADE WITH DIGITAL TECHNOLOGY
18"x18" - 12"x24" - 12"x12" - 6"x6" - 3"x6" - 2"x2" mosaic - trims



V2 SLIGHT VARIATION



Species (Almond)



1093565 - 18"x18"



1094159 - 12"x24" ◆



1093571
6"x6"



1094282
3"x6"



1093562 - 12"x12"



1093574 - 2"x2"
Mosaic (12"x12")

TRIMS



1093568 - 3"x12"
Bullnose



1094168
1"x6" Outside
Corner



1094165
1"x6" Inside
Corner



1094162
6"x12"
Cove Base



V2 SLIGHT VARIATION



Evolution (Noce)



1093566 - 18"x18"



1094160 - 12"x24" ♦



1093572
6"x6"



1094280
3"x6"



1093563 - 12"x12"



1093575 - 2"x2"
Mosaic (12"x12")

TRIMS



1093569 - 3"x12"
Bullnose



1094169
1"x6" Outside
Corner



1094166
1"x6" Inside
Corner



1094163
6"x12"
Cove Base

COLOR SPECIFICATIONS AND SIZES AVAILABLE

Nominal Size	ORIGIN (LIGHT)	SPECIES (ALMOND)	EVOLUTION (NOCE)
18"x18"	1093564	1093565	1093566
12"x24" ♦	1094158	1094159	1094160
12"x12"	1093561	1093562	1093563
6"x6"	1093570	1093571	1093572
2"x2" Mosaic (12"x12")	1093573	1093574	1093575
3"x6" Brick	1094281	1094282	1094280
6"x12" Cove Base	1094161	1094162	1094163
1"x6" Inside Corner	1094164	1094165	1094166
1"x6" Outside Corner	1094167	1094168	1094169
3"x12" Bullnose	1093567	1093568	1093569

PACKAGING

NOMINAL SIZE	METRIC (CM)	THICKNESS (CM)	PIECES PER BOX	SQ. FT PER BOX	WEIGHT PER BOX	BOXES PER PALLET	WEIGHT PER PALLET
18"x18"	45x45	10 mm	6	13.5	32	432	1887
12"x24"	30x60	11 mm	6	12	48	576	2584
12"x12"	30x30	10 mm	13	13	48	624	2796
6"x6"	15x15	10 mm	30	7.5	72	540	1890
2"x2" Mosaic (12"x12")	30x30	10mm	10	10	45	450	1895
3"x6" Brick	7.5x15	10mm	40	5	58	290	1234
6"x12" Cove Base	15x30	8 mm	10	-	-	-	-
1"x6" Inside Corner	2.5x15	8 mm	4	-	-	-	-
1"x6" Outside Corner	2.5x15	8 mm	4	-	-	-	-
3"x12" Bullnose	7.5x30	10 mm	12	3	168	504	2184

ALL OTHER SIZES WILL BE PACKAGED AS ORDERED.
PLEASE CONTACT FLORIM CUSTOMER SERVICE AT 877-FLORIM1 FOR PACKAGING INFORMATION.

♦ MINIMUM GROUT SIZE RECOMMENDED = 5 MM (OR APPROX. 3/16" IF STAGGERED TILE PLACEMENT, WE RECOMMEND USING A 30% OFFSET. IF SPECIFIED BRICK PATTERN WITH 1/2 PATTERN MANDATORY, A BIGGER GROUT IS RECOMMENDED TO HIDE IMPERFECTIONS OF INSTALLATION (MINIMUM 1/4").

SHADE VARIATION



V1

UNIFORM APPEARANCE

Differences among pieces from the same production run are minimal.



V2

SLIGHT VARIATION

Clearly distinguishable differences in texture and/or pattern with similar colors.



V3

MODERATE VARIATION

While the colors present on a single piece of tile will be indicative of the colors to be expected on the other tiles, the amount of colors on each piece will vary significantly.



V4

SUBSTANTIAL VARIATION

Random color differences from tile to tile, so that one tile may have totally different colors from that on other tiles. Thus, the final installation will be unique.

TECHNICAL SPECIFICATIONS

Surface Abrasion	PEI	IV	ASTM C1027
Water Absorption		< 0.5%	ASTM C373
Chemical Resistance		CLASS A	ASTM 650
Coefficient of Friction	(Dry)	> 0.70 ♦	ASTM C1028
	(Wet)	> 0.60 ♦	ASTM C1028
Stain Resistance		CLASS A	ASTM C1378
Breaking Strength		< 400	ASTM C648
Resistance to freeze		RESISTANT	ASTM C1026
Scratch Hardness		8	MOHS

ALL FLORIM USA PRODUCTS MEET OR EXCEED ALL STANDARDS IN ANSI A137.1.

♦ DUE TO THE INHERENT NATURE OF FIRED PORCELAIN TILE, IT IS IMPORTANT TO NOTE THAT THE COEFFICIENT OF FRICTION MAY VARY WITHIN AND BETWEEN PRODUCT RUNS.

WHY PORCELAIN?

There are many reasons to choose impervious porcelain tile over other floor coverings. It offers the largest array of design options and holds its value the longest. In a comparison between the many different flooring options, porcelain tile offers one of the most durable and least expensive options over the lifespan of the building.

Benefits of Porcelain Tile

- Impervious to water
- Easy to maintain
- Variety of design options
- Environmentally friendly
- Resistant to germs and bacteria
- Fade resistant
- Fire resistant
- Durable - best long-term value vs. other floor coverings

HOW TO MAINTAIN YOUR PORCELAIN TILE

- Sweep or vacuum regularly.
- Wash with a household cleaner and hot water then rinse with clean water (do not use wax, oil-based, or abrasive cleaners).

Find more care, maintenance, and installation tips at www.florim.com

Colors Shown in this brochure may vary from actual product. Final selection should be made from actual product samples.



LEED



PROGRESS THAT TOUCHES AND INVESTS IN THE ENTIRE SOCIETY

As a active member of the U.S Green Building Council, Florim spreads awareness to the entire American communities and encourages towards the use of building solutions inspired by environmentally friendly practices. Using Florim products for project implementation, will positively contribute in obtaining scores and points required for earning the LEED certification (Leadership in Energy and Environmental Design).

A COMMITMENT TO THE DEVELOPMENT OF PRODUCTS FOR A CONSCIOUS BUILDING TRADE

Florim offers products containing recycled material. The adoption of eco-compatible production systems is merit of Italian designs produced in the U.S.

TECHNICAL DEVELOPMENT THAT CONSIDERS THE NATURAL ENVIRONMENT

Florim commits to the eco-compatible project and translates the same into an avant-gard production process, minimizing the negative impact on the environment.



LEED

Environment
PRIORITY ONE



PROGRESS THAT TOUCHES AND INVESTS IN THE ENTIRE SOCIETY

As a active member of the U.S Green Building Council, Florim spreads awareness to the entire American communities and encourages towards the use of building solutions inspired by environmentally friendly practices.

Using Florim products for project implementation, will positively contribute in obtaining scores and points required for earning the LEED certification (Leadership in Energy and Environmental Design).

A COMMITMENT TO THE DEVELOPMENT OF PRODUCTS FOR A CONSCIOUS BUILDING TRADE

Florim offers products containing recycled material. The adoption of eco-compatible production systems is merit of Italian designs produced in the U.S.

TECHNICAL DEVELOPMENT THAT CONSIDERS THE NATURAL ENVIRONMENT

Florim commits to the eco-compatible project and translates the same into an avant-guard production process, minimizing the negative impact on the environment.



300 International Blvd. Clarksville, TN 37040
Toll free: 1-877 - Florim1 (356-7461)
Phone: 931 645 5100
www.florimusa.com

