

# CORFINIO





**Fresco**




**Sierra**



**Sangria**



1093067 - 24"x24"




1093352 - 12"x12"



1095215 - 6"x6"



1093066 - 24"x24"




1093351 - 12"x12"



1095216 - 6"x6"



1093065 - 24"x24"




1093350 - 12"x12"



1095217 - 6"x6"



1093064 - 18"x18"



1093474  
2"x2" Mosaic  
(12"x12")




1093063 - 18"x18"



1093473  
2"x2" Mosaic  
(12"x12")



1093062 - 18"x18"



1093472  
2"x2" Mosaic  
(12"x12")

**TRIMS**



1093451 - 3"x12"  
Bullnose



1094240  
1"x6"  
Inside  
Corner



1094243  
1"x6"  
Outside  
Corner



1094237 - 6"x12"  
Cove Base

**TRIMS**



1093450 - 3"x12"  
Bullnose



1094242  
1"x6"  
Inside  
Corner



1094245  
1"x6"  
Outside  
Corner



1094239 - 6"x12"  
Cove Base

**TRIMS**



1093449 - 3"x12"  
Bullnose



1094241  
1"x6"  
Inside  
Corner



1094244  
1"x6"  
Outside  
Corner



1094238 - 6"x12"  
Cove Base

## COLOR SPECIFICATIONS AND SIZES AVAILABLE

Nominal Size	FRESCO	SIERRA	SANGRIA
24"x24" ♦	1093067	1093066	1093065
18"x18"	1093064	1093063	1093062
12"x12"	1093352	1093351	1093350
6"x6"	1095215	1095216	1095217
2"x2" Mosaic (12"x12")	1093474	1093473	1093472
6"x12" Cove Base	1094237	1094239	1094238
1"x6" Inside Corner	1094240	1094242	1094241
1"x6" Outside Corner	1094243	1094245	1094244
3"x12" Bullnose	1093451	1093450	1093449

## PACKAGING

NOMINAL SIZE	METRIC (CM)	THICKNESS (MM)	PIECES PER BOX	SQ. FT PER BOX	BOXES PER PALLET	SQ. FT PER PALLET	WEIGHT PER PALLET
24"x24"	60x60	11 mm	3	12	30	360	1634
18"x18"	45x45	10 mm	6	13.5	32	432	1887
12"x12"	30x30	10 mm	13	13	48	624	2796
6"x6"	15x15	10 mm	30	7.5	72	540	2210
2"x2" Mosaic (12"x12")	30x30	10 mm	10	10	45	450	1895
6"x12" Cove Base	NA	NA	NA	20	NA	NA	NA
1"x6" Inside Corner	NA	NA	NA	4	NA	NA	NA
1"x6" Outside Corner	NA	NA	NA	4	NA	NA	NA
3"x12" Bullnose	7.5x30	10 mm	12	3	168	504	2184

ALL OTHER SIZES WILL BE PACKAGED AS ORDERED.  
PLEASE CONTACT FLORIM CUSTOMER SERVICE AT 877-FLORIM1 FOR PACKAGING INFORMATION.

♦ MINIMUM GROUT SIZE RECOMMENDED = 5 MM (OR APPROX. 3/16" IF STAGGERED TILE PLACEMENT, WE RECOMMEND USING A 30% OFFSET. IF SPECIFIED BRICK PATTERN WITH 1/2 PATTERN MANDATORY, A BIGGER GROUT IS RECOMMENDED TO HIDE IMPERFECTIONS OF INSTALLATION (MINIMUM 1/4").

## SHADE VARIATION



### V1 UNIFORM APPEARANCE

Differences among pieces from the same production run are minimal.



### V2 SLIGHT VARIATION

Clearly distinguishable differences in texture and/or pattern with similar colors.



### V3 MODERATE VARIATION

While the colors present on a single piece of tile will be indicative of the colors to be expected on the other tiles, the amount of colors on each piece will vary significantly.



### V4 SUBSTANTIAL VARIATION

Random color differences from tile to tile, so that one tile may have totally different colors from that on other tiles. Thus, the final installation will be unique.

## TECHNICAL SPECIFICATIONS

Surface Abrasion	PEI	III	ASTM C1027
Water Absorption		≤ 0.5%	ASTM C373
Chemical Resistance		CLASS A	ASTM 650
Coefficient of Friction	(Dry)	≥ 0.75 ♦	ASTM C1028
	(Wet)	≥ 0.60 ♦	ASTM C1028
Stain Resistance		CLASS A	ASTM C1378
Breaking Strength		≥ 400	ASTM C648
Resistance to freeze		RESISTANT	ASTM C1026
Scratch Hardness		≥ 6	MOHS

ALL FLORIM USA PRODUCTS MEET OR EXCEED ALL STANDARDS IN ANSI A137.1.

♦ DUE TO THE INHERENT NATURE OF FIRED PORCELAIN TILE, IT IS IMPORTANT TO NOTE THAT THE COEFFICIENT OF FRICTION MAY VARY WITHIN AND BETWEEN PRODUCT RUNS.

## WHY PORCELAIN?

There are many reasons to choose impervious porcelain tile over other floor coverings. It offers the largest array of design options and holds its value the longest. In a comparison between the many different flooring options, porcelain tile offers one of the most durable and least expensive options over the lifespan of the building.

### Benefits of Porcelain Tile

- Impervious to water
- Easy to maintain
- Variety of design options
- Environmentally friendly
- Resistant to germs and bacteria
- Fade resistant
- Fire resistant
- Durable - best long-term value vs. other floor coverings

## HOW TO MAINTAIN YOUR PORCELAIN TILE

- Sweep or vacuum regularly.
- Wash with a household cleaner and hot water then rinse with clean water (do not use wax, oil-based, or abrasive cleaners).

Scan this barcode with your smart phone for more care, maintenance, and installation tips at [www.florimusa.com](http://www.florimusa.com)



Colors Shown in this brochure may vary from actual product.  
Final selection should be made from actual product samples.



40% RECYCLED CONTENT



LEED

Environment  
PRIORITY ONE



### PROGRESS THAT TOUCHES AND INVESTS IN THE ENTIRE SOCIETY

As a active member of the U.S Green Building Council, Florim spreads awareness to the entire American communities and encourages towards the use of building solutions inspired by environmentally friendly practices. Using Florim products for project implementation, will positively contribute in obtaining scores and points required for earning the LEED certification (Leadership in Energy and Environmental Design).

**A COMMITMENT TO THE DEVELOPMENT OF PRODUCTS FOR A CONSCIOUS BUILDING TRADE**  
Florim offers products containing recycled material. The adoption of eco-compatible production systems is merit of Italian designs produced in the U.S.

### TECHNICAL DEVELOPMENT THAT CONSIDERS THE NATURAL ENVIRONMENT

Florim commits to the eco-compatible project and translates the same into an avant-guard production process, minimizing the negative impact on the environment.



LEED



**PROGRESS THAT TOUCHES AND INVESTS IN THE ENTIRE SOCIETY**

As a active member of the U.S Green Building Council, Florim spreads awareness to the entire American communities and encourages towards the use of building solutions inspired by environmentally friendly practices.

Using Florim products for project implementation, will positively contribute in obtaining scores and points required for earning the LEED certification (Leadership in Energy and Environmental Design).

**A COMMITMENT TO THE DEVELOPMENT OF PRODUCTS FOR A CONSCIOUS BUILDING TRADE**

Florim offers products containing recycled material. The adoption of eco-compatible production systems is merit of Italian designs produced in the U.S.

**TECHNICAL DEVELOPMENT THAT CONSIDERS THE NATURAL ENVIRONMENT**

Florim commits to the eco-compatible project and translates the same into an avant-guard production process, minimizing the negative impact on the environment.



300 International Blvd. Clarksville, TN 37040  
free call 877 - Florim1 (356-7461)  
tel. 931 645 5100  
[www.florimusa.com](http://www.florimusa.com)

