

SEPINO





Harvest



Beige



Noce



1092656 - 18"x18"



1095226 - 12"x12"



1092655 - 18"x18"



1095225 - 12"x12"



1092657 - 18"x18"



1095227 - 12"x12"

TRIMS



1092960 - 3"x18"
Bullnose



1095229 - 3"x12"
Bullnose

TRIMS



1092959 - 3"x18"
Bullnose



1095228 - 3"x12"
Bullnose

TRIMS



1092961 - 3"x18"
Bullnose



1095230 - 3"x12"
Bullnose

COLOR SPECIFICATIONS AND SIZES AVAILABLE

Nominal Size	HARVEST	BEIGE	NOCE
12"x12"	1095226	1095225	1095227
18"x18"	1092656	1092655	1092657
3"x12" Bullnose	1095229	1095228	1095230
3"x18" Bullnose	1092960	1092959	1092961

PACKAGING

NOMINAL SIZE	METRIC (CM)	THICKNESS (MM)	PIECES PER BOX	SQ. FT PER BOX	BOXES PER PALLET	SQ. FT PER PALLET	WEIGHT PER PALLET
12"x12"	30x30	8 mm	16	16	48	768	2973
18"x18"	45x45	10 mm	6	13.5	32	432	1887
3"x12" Bullnose	7.5x30	8 mm	15	3.75	168	630	2654
3"x18" Bullnose	7.5x45	10 mm	12	4.5	112	504	2184

ALL OTHER SIZES WILL BE PACKAGED AS ORDERED.
PLEASE CONTACT FLORIM CUSTOMER SERVICE AT 877-FLORIM1 FOR PACKAGING INFORMATION.

WHY PORCELAIN?

There are many reasons to choose impervious porcelain tile over other floor coverings. It offers the largest array of design options and holds its value the longest. In a comparison between the many different flooring options, porcelain tile offers one of the most durable and least expensive options over the lifespan of the building.

Benefits of Porcelain Tile

- Impervious to water
- Easy to maintain
- Variety of design options
- Environmentally friendly
- Resistant to germs and bacteria
- Fade resistant
- Fire resistant
- Durable - best long-term value vs. other floor coverings

HOW TO MAINTAIN YOUR PORCELAIN TILE

- Sweep or vacuum regularly.
- Wash with a household cleaner and hot water then rinse with clean water (do not use wax, oil-based, or abrasive cleaners).

Scan this barcode for more care, maintenance, and installation tips at www.florimusa.com



Colors Shown in this brochure may vary from actual product.
Final selection should be made from actual product samples.

SHADE VARIATION



V1 UNIFORM APPEARANCE

Differences among pieces from the same production run are minimal.



V2 SLIGHT VARIATION

Clearly distinguishable differences in texture and/or pattern with similar colors.



V3 MODERATE VARIATION

While the colors present on a single piece of tile will be indicative of the colors to be expected on the other tiles, the amount of colors on each piece will vary significantly.



V4 SUBSTANTIAL VARIATION

Random color differences from tile to tile, so that one tile may have totally different colors from that on other tiles. Thus, the final installation will be unique.

TECHNICAL SPECIFICATIONS

Surface Abrasion	PEI	IV	ASTM C1027
Water Absorption		≤ 0.5%	ASTM C373
Chemical Resistance		CLASS A	ASTM 650
Coefficient of Friction	(Dry)	≥ 0.80 ◆	ASTM C1028
	(Wet)	≥ 0.60 ◆	ASTM C1028
Stain Resistance		CLASS A	ASTM C1378
Breaking Strength		≥ 400	ASTM C648
Resistance to Freeze		RESISTANT	ASTM C1026
Scratch Hardness		≥ 6	MOHS

ALL FLORIM USA PRODUCTS MEET OR EXCEED ALL STANDARDS IN ANSI A137.1.
TODOS LOS PRODUCTOS SATISFACEN O EXCEDEN TODOS LOS ESTÁNDARES EN ANSI A137.1.

◆ DUE TO THE INHERENT NATURE OF FIRED PORCELAIN TILE, IT IS IMPORTANT TO NOTE THAT THE COEFFICIENT OF FRICTION MAY VARY WITHIN AND BETWEEN PRODUCT RUNS.

◆ DEBIDO A LA NATURALEZA INHERENTE DEL AZULEJO DE PORCELANA A BASE DE FUEGO, ES IMPORTANTE NOTAR QUE LA COEFICIENCIA DE LA FRICCIÓN PUEDE VARIAR EN CADA PRODUCCIÓN.



40% RECYCLED CONTENT:



PROGRESS THAT TOUCHES AND INVESTS IN THE ENTIRE SOCIETY

As a active member of the U.S Green Building Council, Florim spreads awareness to the entire American communities and encourages towards the use of building solutions inspired by environmentally friendly practices. Using Florim products for project implementation, will positively contribute in obtaining scores and points required for earning the LEED certification (Leadership in Energy and Environmental Design).

A COMMITMENT TO THE DEVELOPMENT OF PRODUCTS FOR A CONSCIOUS BUILDING TRADE

Florim offers products containing recycled material. The adoption of eco-compatible production systems is merit of Italian designs produced in the U.S.

TECHNICAL DEVELOPMENT THAT CONSIDERS THE NATURAL ENVIRONMENT

Florim commits to the eco-compatible project and translates the same into an avant-guard production process, minimizing the negative impact on the environment.



LEED



PROGRESS THAT TOUCHES AND INVESTS IN THE ENTIRE SOCIETY

As a active member of the U.S Green Building Council, Florim spreads awareness to the entire American communities and encourages towards the use of building solutions inspired by environmentally friendly practices.

Using Florim products for project implementation, will positively contribute in obtaining scores and points required for earning the LEED certification (Leadership in Energy and Environmental Design).

A COMMITMENT TO THE DEVELOPMENT OF PRODUCTS FOR A CONSCIOUS BUILDING TRADE

Florim offers products containing recycled material. The adoption of eco-compatible production systems is merit of Italian designs produced in the U.S.

TECHNICAL DEVELOPMENT THAT CONSIDERS THE NATURAL ENVIRONMENT

Florim commits to the eco-compatible project and translates the same into an avant-guard production process, minimizing the negative impact on the environment.



300 International Blvd. Clarksville, TN 37040
Toll free: 1-877 - Florim1 (356-7461)
Phone: 931 645 5100
www.florimusa.com

